SAFETY DATA SHEET



1. Identification

Product Identifier Aluma Brite Metal Safe

Other means of identification

Product code AS-5610

Recommended use Metal safe dish detergent. **Recommended restrictions** Professional use only. Manufacturer/supplier/distributor/importer information

Company name **Allegheny Supply Address** 2335 Hixton Road

Duncansville, PA 16635

Telephone (800) 252-3903 Fax (888) 690-0978

PERS Emergency phone number (800) 633-8253

> 24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Serious eye damage Category 1

Skin corrosion Category 1B

Environmental hazards Not classified. **OSHA** defined hazards Not listed.

Label elements



Signal word Danger.

Hazard statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower. Wash

contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep

comfortable breathing. Immediately call a POISON CENTER/doctor/medical

professional. Specific treatment (see Section 4 on the Safety Data Sheet). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|--|------------|--------|
| Tetrasodium ethylenediamine tetraacetate | 64-02-8 | 7-13 |
| Sodium hydroxide | 1310-73-2 | 1-5 |
| Other components below reportable levels | | 70-100 |

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Sodium hydroxide is extremely destructive to mucous membranes. Neutralize burns with

vinegar.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention. Eye wash stations should be located in work area.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Most important Dermatitis. Rash.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)

None known.

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

During fire, gases hazardous to health may be formed.

Fire-fighting

equipment/instructions

Specific methods
General fire hazards

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protecting clothing must be worn in case of

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

Environmental precautions Do not release into the environment (see section 12). Avoid discharge into areas not

consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueSodium hydroxidePEL 2 mg/m^3

US ACGIH Threshold Limit Values

Biological limit values No data available.

Appropriate engineering Emergency eye wash stations and showers should be readily accessible. Provide natural or

controls mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other None.

Respiratory protection Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene
When using do not smoke or use chewing tobacco. Always observe good personal hygiene
considerations
measures, such as washing after handling the material and before eating, drinking, and/or

measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State
Color
Color
Colorless.

Odor
Characteristic.
Odor threshold
Not available.

pH
13-14

Melting/freezing point

Not available.

Initial boiling point and boiling

oiling >212°F (100°C)

range

Flash point Not applicable.

Evaporation rate Not available.

Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.
Specific gravity (water=1) 1.29

Solubility in water Soluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames can cause product to decompose.

Incompatible materials Strong acids, strong bases, strong oxidizing agents.

Hazardous decomposition

products

Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes of

exposure

Ingestion Corrosive to mucous membranes, will damage tissue if there is prolonged contact.

Inhalation Expected to be a low inhalation hazard.

Skin contact Skin contact will cause burns. Sodium hydroxide is extremely destructive to skin.

Eye contact Causes severe eye damage. May cause severe corneal injury.

Symptoms related to the

physical, chemical and toxicological characteristics

Dermatitis. Rash.

Acute toxicity Not classified.

| Product | Route and Species | LD ₅₀ |
|-----------------------------|-------------------|-----------------------|
| Aluma Brite Metal Safe (CAS | S mixture) | |
| Acute | Oral, rat | 5,130 mg/kg estimated |
| | Dermal, rabbit | >2,000 mg/kg |

^{*}Estimates for product may be based on additional component data not shown

Skin corrosion/irritation Causes severe skin burns.
Serious eye damage/ irritation Causes serious eye damage.

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity Not classified.

Specific target organ toxicity – Not classified.

single exposure

Specific target organ toxicity -

repeated exposure
Aspiration hazard

Not classified.

Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity

| Product | Species | Test Results | |
|--------------------------------------|---------|---|--|
| Aluma Brite Metal Safe (CAS mixture) | | | |
| Aquatic | | | |
| Crustacea | Daphnia | EC ₅₀ (48hr): 1,100 mg/L estimated | |
| Fish | Fathead | LC ₅₀ (96hr): 270 mg/L estimated | |

^{*}Estimates for product may be based on additional component data not shown

Persistence and degradability

Bioaccumulative potential

Mobility in soil

Other adverse effects

No data available.

Not available.

No data available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Do not release to the environment.

Local disposal regulations

Waste from residues/unused

product

Dispose in accordance with all applicable regulations

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

(See: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

DOT

UN number UN1760

UN proper shipping name Corrosive Liquids, n.o.s. (Contains: Tetrasodium ethylenediamine tetraacetate, Sodium

hydroxide)

Transport hazard

class(es)

Class 8
Subsidiary risk Packaging group II
Marine pollutant No

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

DOT

Read safety instructions, SDS, and emergency procedures before handling.

Not intended to be transported in bulk.



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard – No

Reactivity Hazard - Yes

SARA 313 (TRI reporting)

Not listed.

16. Other information, including date of preparation or last revision

 Issue date
 12/3/2015

 Revision date
 12/3/2015

Version # 1

NFPA ratings

HMIS® ratings Health: 3

Flammability: 0 Physical hazard: 1

Health: 3

Flammability: 0

Instability: 1

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

by the text.

Revision information First issue.