

1. Identification

Product Identifier	Freezer Cleaner		
Other means of identification Product code	AS-5090		
Recommended use	Cleaner for cold temperatures.		
Recommended restrictions	Professional use only.		
Manufacturer/supplier/distributor/importer information			
Company name	Allegheny Supply		
Address	2335 Hixton Road		
	Duncansville, PA 16635		
Telephone	(800) 252-3903		
Fax	(888) 690-0978		
Emergency phone number	PERS	(800) 633-8253	
	24 hour Emergency	(800) 633-8253	

2. Hazard(s) Identification

Physical hazards	Flammable Liquids	Category 3
Health hazards	Eye irritation Skin irritation Aspiration Hazard	Category 2A Category 3 Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		



Signal word	Danger.
Hazard statement	Flammable liquid and vapor.
	Causes mild skin irritation.
	Causes serious eye irritation.
	May be fatal if swallowed and enters airways.
Precautionary statement	
Description	

Prevention	Keep away from heat/sparks/open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/ eye protection/ face protection. Wash hands and face thoroughly after handling.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. IF SWALLOWED: Immediately call a POISON CENTER/doctor/medical professional. Do NOT induce vomiting.
Storage	Store in a well-ventilated place. Keep cool. Store locked up
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.

Supplemental information None.

3. Composition/information on ingredients

20-30
5.40
5-10
1-2
)

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the instruction of medical personnel.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Carbon dioxide (CO_2). Dry chemical powder, sand, or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal
	protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.
	Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
2-propanol	STEL	500 ppm 1,225 mg/m ³
	TWA	400 ppm 980 mg/m ³
2-butoxyethanol	PEL	50 ppm 240 mg/m ³
US ACGIH Threshold Limit Va	lues	
Components	Туре	Value
2-propanol	STEL	400 ppm
	TWA	200 ppm
2-butoxyethanol	TWA	20 ppm

Biological limit values

ACGIH Biological Exposure Indices				
Components	Value	Determinant	Species	Sampling Time
2-propanol	40 mg/L	Acetone	Urine	End of shift at end of workweek.
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended

exposure limits. Individual protection measures, such as personal protective equipment Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Skin protection Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. **Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary. **General hygiene** When using do not smoke or use chewing tobacco. Always observe good personal hygiene considerations measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Clear liquid.
Colorless.
Citrus.
Not available.
7-8.
22.5°F (-5.5°C) estimated.
210°F (99°C) estimated.
77°F (25 °C) estimated.
Not available.
Not available.
Not available.
Not available.
Not available.
Not available.
0.93
Complete.
Not available.
Not available.
Not available.
Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Oxidizing agents, acids.
Hazardous decomposition products	Carbon dioxide, carbon monoxide.

11. Toxicological information

Ingestion	Expected to be low ingestion hazard.	
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May cause mild skin irritation.	
Eye contact	Direct contact with eyes may cause tem	porary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Dermatitis. Rash.	
Acute toxicity	Not established.	
Product	Route and Species	LD ₅₀
Freezer Cleaner (CAS mixture)		-
Acute	Oral, rat	8,300 mg/kg estimated
	Dermal, rabbit	>2,000 mg/kg estimated
Skin corrosion/irritation	based on additional component data not s Causes mild skin irritation.	SIGWI
Skin corrosion/irritation Serious eye damage/		SILOWIT
Skin corrosion/irritation Serious eye damage/ irritation	Causes mild skin irritation.	SILOWIT
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization	Causes mild skin irritation. Causes serious eye irritation.	SILOWIT
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available.	any components present at greater than 0.1% are
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available. No data available to indicate product or	any components present at greater than 0.1% are
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available. No data available to indicate product or mutagenic or genotoxic.	any components present at greater than 0.1% are
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available. No data available to indicate product or mutagenic or genotoxic. This product is not expected to be a car	any components present at greater than 0.1% are
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity OSHA Specifically Regulated	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available. No data available to indicate product or mutagenic or genotoxic. This product is not expected to be a car	any components present at greater than 0.1% are cinogen.
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity OSHA Specifically Regulated Not Listed. Reproductive toxicity Specific target organ toxicity	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available. No data available to indicate product or mutagenic or genotoxic. This product is not expected to be a car d Substances (29 CFR 1910.1001-1050)	any components present at greater than 0.1% are cinogen.
Skin corrosion/irritation Serious eye damage/ irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity OSHA Specifically Regulated Not Listed.	Causes mild skin irritation. Causes serious eye irritation. Not available. Not available. No data available to indicate product or mutagenic or genotoxic. This product is not expected to be a care d Substances (29 CFR 1910.1001-1050) This product is not expected to cause re	any components present at greater than 0.1% are cinogen.

12. Ecological information

roduct	Species	Test Results
reezer Cleaner (CAS mixture)		
Aquatic		
Crustacea	Daphnia	EC ₅₀ (48 hr): 645 estimated
Fish	Oncorhynchus mykiss	LC ₅₀ (96 hr): 268 estimated

*Estimates for product may be based on additional component data not shown

Persistence and degradability	No data available.
Bioaccumulative potential	Potential to bioaccumulation is expected to be low.
Mobility in soil	No data available.
Other adverse effects	No data available.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (Contains: Isopropanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packaging group	III
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Marine pollutant	No
Special precautions for user	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code DOT	This product is not intended to be transported in bulk.



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – Yes Pressure Hazard – No Reactivity Hazard – No SARA 313 (TRI reporting) 2-butoxyethanol (Glycol ether category)

16. Other information, including date of preparation or last revision

Issue date Revision date Version # HMIS® ratings	3/14/2016 3/14/2016 1 Health: 1 Flammability: 2
NFPA ratings	Physical hazard: 0 Health: 1 Flammability: 2 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.
Revision information	First issue.