

SAFETY DATA SHEET



1. Identification

| | | |
|---|--|----------------|
| Product Identifier | Power | |
| Other means of identification | | |
| Product code | AS-6133 | |
| Recommended use | Heavy duty degreaser. | |
| Recommended restrictions | Professional use only. | |
| Manufacturer/supplier/distributor/importer information | | |
| Company name | Allegheny Supply | |
| Address | 2335 Hixton Road Duncansville, PA 16635 | |
| Telephone | (800) 252-3903 | |
| Fax | (888) 690-0978 | |
| Emergency phone number | PERS | (800) 633-8253 |
| | 24 hour Emergency | (800) 633-8253 |

2. Hazard(s) Identification

| | | |
|------------------------------|-------------------|-------------|
| Physical hazards | Flammable Liquids | Category 3 |
| Health hazards | Eye irritation | Category 2A |
| | Skin irritation | Category 2 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | None. | |
| Label elements | | |



| | |
|--|---|
| Signal word | Warning |
| Hazard statement | Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. |
| Precautionary statement | |
| Prevention | Keep away from heat/sparks/open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/ eye protection/ face protection. Wash hands and face thoroughly after handling. |
| Response | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. Specific treatment: see section 4 on the Safety Data Sheet. If skin irritation occurs: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None. |
| Supplemental information | None. |

3. Composition/information on ingredients

| Mixtures | | |
|--|------------|--------|
| Chemical name | CAS number | % |
| 2-butoxyethanol | 111-76-2 | 1-5 |
| 2-propanol | 67-63-0 | 1-3 |
| Other components below reportable levels | | 70-100 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. |
| Eye contact | Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the instruction of medical personnel. |
| Most important symptoms/effects, acute and delayed | Dermatitis. Rash. May cause an allergic skin reaction. |
| Indication of immediate medical attention and special treatment needed | Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under observation. Symptoms may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |

5. Fire-fighting measures

| | |
|--|--|
| Suitable extinguishing media | Water fog. Foam. Carbon dioxide (CO ₂). Dry chemical powder, sand, or earth may be used for small fires only. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protecting clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | Flammable liquid and vapor. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material. |

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|-----------------|------|------------------------------------|
| 2-propanol | STEL | 500 ppm 1,225 mg/m ³ |
| | TWA | 400 ppm 980 mg/m ³ |
| | PEL | 50 ppm 240 mg/m ³ |
| 2-butoxyethanol | PEL | 50 ppm 240 mg/m ³ |

US ACGIH Threshold Limit Values

| Components | Type | Value |
|-----------------|------|---------|
| 2-propanol | STEL | 400 ppm |
| | TWA | 200 ppm |
| 2-butoxyethanol | TWA | 20 ppm |

Biological limit values

ACGIH Biological Exposure Indices

| Components | Value | Determinant | Species | Sampling Time |
|-----------------|----------|-------------|---------|----------------------------------|
| 2-propanol | 40 mg/L | Acetone | Urine | End of shift at end of workweek. |
| 2-butoxyethanol | 200 mg/g | Creatinine | Urine | End of shift. |

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------------|--|
| Eye/face protection | Avoid contact with eyes. Wear safety glasses with side shields (or goggles). |
| Skin protection | |
| Hand protection | Wear appropriate chemical resistant gloves. |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |

9. Physical and chemical properties

Appearance

| | |
|--|----------------------------|
| Physical State | Clear liquid. |
| Color | Light purple. |
| Odor | Slight solvent odor. |
| Odor threshold | Not available. |
| pH | 11.5-12.5 |
| Melting/freezing point | Not available |
| Initial boiling point and boiling range | >212°F (>100°C) estimated. |
| Flash point | 128°F (53°C) estimated. |
| Evaporation rate | Not available. |
| Flammability | Not available. |
| Flammability Limits | |
| Upper | Not available. |
| Lower | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Specific gravity (water=1) | 1.05 |
| Solubility in water | Complete. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | This product is stable and non-reactive under normal conditions of use. |
| Chemical stability | Material is stable under normal conditions. Store in a cool dark place. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Oxidizing agents, acids. |
| Hazardous decomposition products | Carbon dioxide, carbon monoxide. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---|--|
| Ingestion | Expected to be low ingestion hazard. |
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | Causes skin irritation. See section 8 for personal protection. |
| Eye contact | Direct contact with eyes causes serious irritation. |
| Symptoms related to the physical, chemical and toxicological characteristics | Dermatitis. Rash. |
| Acute toxicity | Not established. |

| Product | Route and Species | LD₅₀ |
|---------------------|--------------------------|------------------------|
| Power (CAS mixture) | | |
| Acute | <i>Oral, rat</i> | 21,000 mg/kg estimated |
| | <i>Dermal, rabbit</i> | >5,000 mg/kg estimated |

*Estimates for product may be based on additional component data not shown

| | |
|---|--|
| Skin corrosion/irritation | Causes skin irritation. |
| Serious eye damage/ irritation | Causes serious eye irritation. |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not available. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not expected to be a carcinogen. |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) | |
| Not Listed. | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity – single exposure | Not classified. |
| Specific target organ toxicity – repeated exposure | Not classified. |
| Aspiration hazard | Not classified. |

12. Ecological information

| Ecotoxicity | | |
|---------------------|---------------------|---|
| Product | Species | Test Results |
| Power (CAS mixture) | | |
| Aquatic | | |
| Crustacea | Daphnia | EC ₅₀ (48 hr): 477 estimated |
| Fish | Oncorhynchus mykiss | LC ₅₀ (96 hr): 203 estimated |

*Estimates for product may be based on additional component data not shown

| | |
|--------------------------------------|--|
| Persistence and degradability | 2-butoxyethanol is considered readily biodegradable. |
| Bioaccumulative potential | Potential to bioaccumulation is expected to be low. |
| Mobility in soil | No data available. |
| Other adverse effects | No data available. |

13. Disposal considerations

| | |
|------------------------------|--|
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
|------------------------------|--|

| | |
|---|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues/unused product | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied. |

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – Yes

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting)

2-butoxyethanol (Glycol ether category)

16. Other information, including date of preparation or last revision

| | |
|-----------------------------|---|
| Issue date | 10/1/2015 |
| Revision date | 10/1/2015 |
| Version # | 1 |
| HMIS® ratings | Health: 2 Flammability: 2 Physical hazard: 0 |
| NFPA ratings | Health: 2 Flammability: 2 Instability: 0 |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text. |
| Revision information | First issue. |